

METHOD OF AND COMPUTER PROGRAM FOR SEARCHING INFORMATION

FIELD OF THE INVENTION

5 The present invention relates to a method of and
computer program for searching desired information out of
a huge volume of information. More particularly, this
invention relates to method of and computer program for
searching information that is capable of enhancing a matching
accuracy by means of fuzzy matching.

10

BACKGROUND OF THE INVENTION

With the recent rapid development of the information
technology, a volume of information handled both in business
world and private life has been increasing sharply. Also,
15 a search technology to search desired information out of
a huge volume of information more efficiently is deemed as
an important factor in the information technology, and for
this reason, corporations, institutions, etc. have been
conducting a study of the search technology actively.

20 An information search apparatus, which has stored a
huge volume of information in a database and conducts a search
through the database with a search key to output a hit list
(search result), has been used in various fields. Examples
of the information search apparatus of this kind include:
25 the one that presumes a cause (search result) from a symptom

of machine trouble (search key), the one that presumes the name of a disease or a cure (search result) from symptoms (search key), etc. These information search apparatuses make highly intellectual judgments, and conduct fuzzy
5 matching by using a database referred to as a knowledge database.

Fig. 16 is a view showing an example of an information search database 10 employed in a conventional information search apparatus. The information search database 10 is
10 a type of the aforementioned knowledge database, and used in presuming a cause from a symptom of machine trouble. The information search database 10 is given with a definition of a cause-and-effect relation between "symptom" and "cause" related to the machine trouble.

15 More specifically, a plurality of concrete symptoms, such as "symptom 1", "symptom 2", "symptom 3", ... are described in the lateral direction, and "cause A", "cause B", and "cause C" corresponding to "symptom 1", "symptom 2", "symptom 3", ... are described in the longitudinal
20 direction.

Precisely, the drawing shows that "symptom 1" (deficiency at high voltage), "symptom 2" (deficiency at low voltage), "symptom 3" (deficiency at high temperature), ... in the first record are closely related
25 to "cause A" (shortage of capacitor) in the cause-and-effect

relation. Also, the drawing shows that "symptom 1" (deficiency at high voltage), "symptom 2" (deficiency at low voltage), "symptom 3" (deficiency at high temperature), ... in the second record are closely related to "cause B" (memory cell leakage) in the cause-and-effect relation. Further, the drawing shows that "symptom 1" (deficiency at high voltage), "symptom 2" (deficiency at low voltage), "symptom 3" (noise at power source) ... in the third record are closely related to "cause C" (cross talk) in the cause-and-effect relation.

With the conventional information search apparatus, if "deficiency at high voltage" and "noise at power source" are given as the symptoms, then the search result shows "cause C" alone as a probable cause. This indicates that a matching accuracy is high, in other words, the search result is narrowed. Hence, the searcher can take a prompt action for the machine trouble based on a single cause, "cause C".

On the contrarily, if "deficiency at high voltage" and "deficiency at low voltage" are given as the symptoms, then the search result shows all of "cause A" through "cause C" as probable causes. This indicates the matching accuracy is low, in other words, the search result is not narrowed. Hence, the searcher has to take actions for the machine trouble based on all the three causes, "cause A" through "cause C", and then narrow the three causes to one.

Incidentally, as has been discussed, with the conventional information search apparatus that conducts the fuzzy matching, when a single symptom corresponds to more than one cause for the structural reason of the information search database 10, more than one cause is outputted as the search result, which poses a problem that the matching accuracy is poor.

This problem becomes more apparent with an increasing volume of information stored in the information search database 10, and could result in a fatal problem that the apparatus can no longer function as a search apparatus when given with certain search criteria because of too many matching causes.

15 SUMMARY OF THE INVENTION

It is an object of this invention to provide an information search program and an information search method capable of improving a matching accuracy of the fuzzy matching using a knowledge database.

20 According to the present invention, a knowledge database which stores a plurality of causes, a plurality of questions having a cause-and-effect relation with the plurality of causes, and correlation levels showing a degree of correlations between the causes and corresponding
25 questions. Certain questions out of the plurality of

questions in the database are extracted by an algorithm based on the correlation levels. Moreover, causes with high correlation levels are extracted out of the plurality of causes based on an answer result of each of the certain questions from a searcher.

Other objects and features of this invention will become apparent from the following description with reference to the accompanying drawings.

10 BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a block diagram showing an arrangement in one embodiment of the present invention;

Fig. 2 is a view showing an example of an information search database 350 shown in Fig. 1;

15 Fig. 3 is a view showing an example of a question table 360 shown in Fig. 1;

Fig. 4 is a view showing an example of a cause table 370 shown in Fig. 1;

20 Fig. 5 is a view showing an example of an answer weighting table 380 shown in Fig. 1;

Fig. 6 is a view showing an example of a display color table 390 shown in Fig. 1;

Fig. 7 is a view showing an example of an updated information search database 350 shown in Fig. 1;

25 Fig. 8 is a view explaining a second question extracting

algorithm in the above embodiment;

Fig. 9 is a view showing an example of an updated information search database 350 shown in Fig. 1;

Fig. 10 is a view showing an example of an updated
5 information search database 350 shown in Fig. 1;

Fig. 11 is a flowchart detailing an operation of the above embodiment;

Fig. 12 is a view showing an example of a first question/answer screen 410 in the above embodiment;

10 Fig. 13 is a view showing an example of a second question/answer screen 420 in the above embodiment;

Fig. 14 is a view showing an example of a probable cause display screen 430 in the above embodiment;

Fig. 15 is a block diagram showing a modification of
15 the above embodiment; and

Fig. 16 is a view showing an example of an information search database 10n employed in a conventional information search apparatus.

20 DESCRIPTION OF THE PREFERRED EMBODIMENTS

One embodiment of the method of and computer program for searching information the present invention will be explained below with reference to the accompanying drawings.

Fig. 1 is a block diagram showing an arrangement in
25 one embodiment of the present invention. The drawing shows

09927644.081301
a system for conducting fuzzy matching by using the
aforementioned knowledge database. In the drawing,
communication devices (terminal adapter, router, firewall,
etc.) necessary for a link to the network are omitted for
5 ease of explanation.

In the drawing, a client 100 denotes a computer main
body installed at the searcher's end, and the searcher
operates the same when he conducts the fuzzy matching. The
client 100 is allowed to access an information search
10 apparatus 300 through a network 200 in accordance with a
predetermined protocol (for example, TCP/IP (Transmission
Control Protocol/Internet Protocol). Also, the client 100
is provided with a Web browser to allow the searcher to review
each Web screen on a Web site 400 described below.

15 An input device 110 is connected to the client 100,
and composed of a keyboard, a mouse, etc. for use in inputting
search criteria, etc. A display device 120 is connected
to the client 100 and displays each Web screen (see Figs.
12 through 14) on the Web site 400 described below. The
20 network 200 is an internet, local area network, etc.

The information search apparatus 300 is a server
provided with a function to accept access as to a search
request from the client 100, a function to provide the Web
site 400 to the client 100, a function to output a hit list
25 (search result), etc. The Web site 400 is a site for use

in providing the searcher with an interactive fuzzy matching function.

09927644-081301
TOE T30" 44922660

In the information search apparatus 300, a communication control unit 310 controls a communication
5 between the information search apparatus 300 and client 100 through the network 200 in accordance with the TCP/IP, for example. A Web screen generating unit 320 automatically generates Web screens respectively shown in Figs. 12 through 14. A detailed description of these Web screens will be
10 given below. A search control unit 330 conducts the fuzzy matching by narrowing the search result by way of several steps through the interaction with the searcher based on an information search database 350, a question table 360, a cause table 370, an answer weighting table 380, and a display
15 color table 390, and outputting the narrowed search result. The operation of the search control unit 330 will be detailed below.

A database control unit 340 controls an access to the information search database 350, question table 360, cause
20 table 370, answer weighting table 380, and display color table 390, and updates the information search database 350, etc. Here, the following description will describe in detail, with reference to Figs. 2 through 6, the information search database 350, question table 360, cause table 370,
25 answer weighting table 380, and display color table 390.

The information search database 350 shown in Fig. 2 is one type of the knowledge database, and used in presuming a cause (search result) from a symptom (search key) of machine trouble. Herein, the following description will describe a memory trouble as an example of the machine trouble in one embodiment. The information search database 350 is provided with two-dimensional arrays of "question codes" 1 through 10 each representing different "question" to allow the searcher to select the symptom related to the memory trouble, and "cause codes" A through J each representing different "cause" corresponding to the symptom.

The correspondence between "question codes" and "questions", and that between "cause codes" and "cause S" shown in Fig. 2 are defined in the question table 360 (see Fig. 3) and cause table 370 (see Fig. 4), respectively. The question table 360 shown in Fig. 3 is a table that defines the correspondence between "question codes" and "questions". As can be understood from the drawing, "question code" = 1 shown in Fig. 2 corresponds to "question" = "Is deficiency caused at high temperature?". Likewise, "question code" = 10 shown in Fig. 2 corresponds to "question" = "Is there any noise at power source?".

The cause table 370 shown in Fig. 4 is a table that defines the correspondence between "cause codes" and "causes". As can be understood from the drawing, "cause

code" = A shown in Fig. 2 corresponds to "cause" = "Poor contact at bonding wire". Likewise, "cause code" = J shown in Fig. 2 corresponds to "cause" = "insufficient noise margin at power source".

5 Also, the information search database 350 is provided with, for convenience of explanation, 6 correlation levels (-1 to 4) each quantitatively representing the correlation between "question" and "cause" at each cross point between the "question codes" and "cause codes". In case of the
10 correlation level = -1, the correlation between "question" and "cause" is the remotest. On the other hand, in case of the correlation level = 4, the correlation between "question" and "cause" is the closest. These correlation levels are determined based on the records of the
15 troubleshooting in the past, the corporation know-how, etc.

For example, in case of "question code" = 4 shown in Fig. 2, the correlation level is determined in the following order.

cause code	correlation level
H	4
A to C	2
D, I, J	1
E, F, G	0

Sub
A1

20 The answer weighting table 380 shown in Fig. 5 is a table that defines the correspondence between the answer to "question" discussed above and a weight (answer value). The example shown in the drawing adopts a method to allow

Al
Conf.

the searcher to choose one out of three alternations, "YES", "NO", and "UNKNOWN". In case of "YES", the answer value is 1. In case of "NO", the answer value is -1, and in case of "UNKNOWN", the answer value is 0 (zero).

5 The display color table 390 shown in Fig. 6 is a table that defines a relation between "judged value" quantitatively representing the certainty of the probable cause hit by the fuzzy matching and "display color" specifying a color to display such a cause as the search result (see Fig. 14). More specifically, in case that
10 "judged value" is 5 or less, "display color" of the search result is blue. Also, in case that "judged value" is 6 or 7, "display color" of the search result is yellow. Further, in case that "judged value" is 8 or greater, "display color"
15 of the search result is red.

Next, the following description will describe the aforementioned operation in one embodiment with reference to the flowchart shown in Fig. 11. When the client 100 shown in Fig. 1 gains an access to the information search apparatus
20 300 through the network 200, in Step SA1 shown in Fig. 11, the search control unit 330 extracts first questions to the searcher out of 10 questions provided for convenience of explanation that respectively correspond to "question codes" = 1 through 10 shown in Fig. 7 in accordance with
25 a first question extracting algorithm.

09927644.081301

More specifically, according to the first question extracting algorithm, the search control unit 330 compares an absolute value of the correlation level for each "question code" in the information search database 350 with a preset threshold value = 1, and extracts "question code" whose absolute value is equal to the threshold value = 1 or less. In short, the first question extracting algorithm has an object to extract any question having a remote correlation with the cause. In this case, four questions (see Fig. 3) corresponding to "question codes" = 1, 2, 5, and 10 encircled by a bold line in Fig. 7 are extracted for convenience of explanation, which are set forth as follow.

question code	question
1	Is deficiency caused at high temperature?
2	Is deficiency caused at low temperature?
5	Is deficiency caused at low voltage?
10	Is there any noise at the power source?

In Step SA2, the search control unit 330 makes the display device 120 display a first question/answer screen 410 shown in Fig. 12. The first question/answer screen 410 displays the foregoing four questions extracted by the first question extracting algorithm, a plurality of check boxes to allow the searcher to choose one of three alternatives including "YES", "NO", and "UNKNOWN", and an answer button 411. In Step SA3, the search control unit 330 judges whether the answer button 411 is depressed or not, and herein, it judges negative ("NO") and repeats this judgment.

Here, the searcher operates the input device 110 and choose the answer by marking the check boxes for the foregoing four questions. Suppose the searcher has answered as follows.

question code	question	answer
1	Is deficiency caused at high temperature?	YES
2	Is deficiency caused at low temperature?	YES
5	Is deficiency caused at low voltage?	NO
10	Is there any noise at the power source?	UNKNOWN

Then, when the searcher depresses the answer button 411, the search control unit 330 judges "YES" in Step SA3. In Step SA4, the search control unit 330 updates the information database 350 as shown in Fig. 7.

More specifically, the search control unit 330 finds the answer values (weights) to the above answers as follows with reference to the answer weighting table 380 shown in Fig. 5.

question code	question	answer	answer value
1	Is deficiency caused at high temperature?	YES	1
2	Is deficiency caused at low temperature?	YES	1
5	Is deficiency caused at low voltage?	NO	-1
10	Is there any noise at the power source?	UNKNOWN	0

Then, the search control unit 330 fills these answer values into the cells respectively corresponding to "question codes" = 1, 2, 5, and 10 in the record of the first

answer value shown in Fig. 7. Consequently, the information search database 350 is updated. In Step SA5, the search control unit 330 extracts second questions to the searcher out of questions that were not extracted in Step SA1 in accordance with a second question extracting algorithm.

More specifically, according to the second question extracting algorithm, the search control unit 330 extracts those having a positive first answer value shown in Fig. 8. In this case, the first answer value (=1) corresponding to both "question codes" = 1 and 2 is extracted. Then, the search control unit 330 compares the correlation level with the first answer value for each cause code in the lateral direction, and judges whether the extracting condition that all the correlation levels are positive is satisfied or not.

More specifically, "cause code" = A has the correlation level = 1 for "question code" = 1, and the correlation level = 0 for "question code" = 2, and therefore, is not extracted. The following "cause code" = B has the correlation level = 1 for "question code" = 1, and the correlation level = 1 for "question code" = 2, and therefore, is extracted. Thereafter, the search control unit 330 judges whether the extracting condition is satisfied or not for each of "cause codes" = C through J.

In the example shown in the drawing, four causes corresponding to "cause codes" = B, D, F, and G encircled

by a bold line in a lateral direction are extracted for convenience of explanation. Then, the search control unit 330 extracts questions that were not asked in Step SA2 out of 10 questions provided for convenience of explanation and
5 respectively corresponding to "question codes" 1 through 10. In this case, 6 questions respectively corresponding to "question codes" = 3, 4, 6 through 9 are selected for convenience of explanation.

Then, the search control unit 330 extracts questions
10 corresponding to "cause codes" = B, D, F, and G, and whose absolute values of the correlation levels in the longitudinal direction corresponding to "question codes" = 3, 4, 6 through 9 are not straight 0's. In the example shown in the drawing, a question corresponding to "question code" = 3 is not
15 extracted because the absolute values of the correlation levels corresponding to "cause codes" = B, D, F, and G are all 0's.

On the other hand, questions corresponding to "question codes" 4 and 6 through 9 are extracted. In this
20 case, five questions (see Fig. 3) respectively corresponding to "question codes" = 4 and 6 through 9 shown in Fig. 8 are extracted for convenience of explanation, which are set forth as follows.

question code	question
4	Is deficiency caused at high voltage?
6	Is deficiency caused at standard voltage?
7	Is intermittent failure occurring?
8	Is a clock signal distorted?
9	Is there any noise in output data?

In Step SA6, the search control unit 330 makes the display device 120 display a second question/answer screen 420 shown in Fig. 13. Like the first question/answer screen 410 (see Fig. 12), the second question/answer screen 420 displays the foregoing five questions extracted by the second question extracting algorithms, a plurality of check boxes to allow the searcher to choose one of three alternatives including "YES", "NO", and "UNKNOWN", and an answer button 421. In Step SA7, the search control unit 330 judges whether the answer button 421 is depressed or not, and herein, it judges negative ("NO"), and repeats this judgment.

Here, the searcher operates the input device 110 and choose the answers for the foregoing five questions by using the check boxes. Suppose the searcher has answered as follows.

question code	question	answer
4	Is deficiency caused at high voltage?	UNKNOWN
6	Is deficiency caused at standard voltage?	YES
7	Is intermittent failure occurring?	NO
8	Is a clock signal distorted?	YES
9	Is there any noise in output data?	YES

Then, when the searcher depresses the answer button 421, the search control unit 330 judges "YES" in Step SA7. In Step SA8, the search control unit 330 updates the information database 350 as shown in Fig. 10.

More specifically, the search control unit 330 finds the answer values (weights) to the above answers as follows with reference to the answer weighting table 380 shown in Fig. 5.

question code	question	answer	answer value
4	Is deficiency caused at high voltage?	UNKNOWN	0
6	Is deficiency caused at standard voltage?	YES	1
7	Is intermittent failure occurring?	NO	-1
8	Is a clock signal distorted?	YES	1
9	Is there any noise in output data?	YES	1

Then, the search control unit 330 fills these answer values into the cells respectively corresponding to "question codes" = 4 and 6 through 10 in the record of the second answer value shown in Fig. 10. Consequently, the

information search database 350 is updated. In Step SA9, the search control unit 330 computes a judged value that represents quantitatively the certainty of each of the causes corresponding to "cause codes" = B, D, F, and G (see Fig. 10, encircled by a bold line in the lateral direction), respectively and extracted by the second question extracting algorithm.

More specifically, the search control unit 330 uses a sum of multiplications of the correlation levels in the lateral direction of "cause code" = B shown in Fig. 10 and the corresponding first or second answer value as the judged value. In the example shown in the drawing, the judged value of the cause corresponding to "cause code" = B is 4. Likewise, the judged values of the causes corresponding to "cause codes" = D, F, and G are 10, 9, and 7, respectively. In Step SA10, the search control unit 330 fills the foregoing judged values = 4, 10, 9, and 7 into the fields of the judged value as shown in Fig. 10, whereby the information search database 350 is updated.

In Step SA11, the search control unit 330 determines the display color of each cause with reference to the display color table 390 shown in Fig. 6 and each judged value shown in Fig. 10. In this case, the relation between the causes, judged values, and display colors are as follows.

25

cause	judged value	display color
D	10	red
F	9	red
G	7	yellow
B	4	blue

In Step SA12, the search control unit 330 makes the display device 120 display a probable cause display screen 430 as shown in Fig. 14 based on the determination result in Step SA11. The probable cause display screen 430 displays the probable causes as the result ("cause code", "cause", and "judged value") of the fuzzy matching in decreasing order of the judged values. Here, the display color of each cause is displayed in accordance with the determination result in Step SA11. Consequently, the searcher can know the certainty of the four causes given for convenience of explanation by the display colors (judged values) and can assign priorities when taking corresponding actions.

As has been discussed, according to one embodiment, from the information search database 350 as the knowledge database storing the causes, questions, and correlation levels, certain questions are extracted out of a plurality of questions by the first and second algorithms based on the correlation levels, and the causes with the high correlation levels are extracted out of a plurality of causes based on the searcher's answers to the certain questions. Consequently, it is possible to enhance the matching accuracy

of the fuzzy matching using the knowledge database.

According to one embodiment, because the judged value (priority) based on the correlation level is found for each of the extracted causes, the importance of the causes as
5 the search result can be presented to the searcher in a clear manner.

Also, according to one embodiment, the causes are displayed in colors corresponding to the judged values (priorities) as shown in Fig. 14. This allows the searcher
10 to judge at a glance the importance of the causes as the search result.

One embodiment of the present invention has been described with reference to the drawings. However, concrete examples are not limited to the above embodiment,
15 and any modification and change within the scope of the present invention are included in the invention.

For example, in the above embodiment, an information search program for achieving the function of the information search apparatus 300 discussed above may be recorded in a
20 computer readable recording medium 600 shown in Fig. 15, so that the information search is conducted by making a computer 500 shown in the drawing read and run the information search program recorded in the recording medium 600.

The computer 500 shown in Fig. 15 is composed of a
25 CPU 510 for running the information search program, an input

device 520, such as a keyboard and a mouse, a ROM (Read Only Memory) 530 for storing various data, a RAM (Random Access Memory) 540 for storing computation parameters or the like, a reading device 550 for reading the information search
5 program from the recording medium 600, an output device 560, such as a display and a printer, and a bus BU for interconnecting these members.

The CPU (Central Processing Unit) 510 reads the information search program recorded in the recording medium
10 600 by means of the reading device 550, and then runs the program, thereby conducting a series of jobs related to the fuzzy matching discussed above. The recording medium 600 includes portable recording media, such as an optical disk, a floppy disk, and a hard disk, and also includes a
15 transmission medium for recording and holding the data temporarily, such as a network.

In addition, as shown in Fig. 1, the above embodiment explained an arrangement such that the client 100 accesses the information search device 300 through the network 200.
20 However, the present invention is not limited to this arrangement, and any arrangement is applicable as long as the environment capable of conducting the fuzzy matching is provided. For example, as another example arrangement, the client 100 may be connected to the information search
25 apparatus 300 directly via a cable, the client 100 and

information search apparatus 300 may be achieved in a single apparatus, etc.

As has been discussed, according to the present invention, from the knowledge database storing the causes, questions, and correlation levels, certain questions are
5 extracted out of a plurality of questions by the first and second algorithms based on the correlation levels, and the causes with the high correlation levels are extracted out of a plurality of causes based on the searcher's answers
10 to the certain questions. Consequently, there can be offered an effect that the matching accuracy of the fuzzy matching using the knowledge database can be enhanced.

Furthermore, because the priority based on the correlation level is assigned to each of the causes extracted
15 in a cause extracting step, there can be offered an effect that the importance of the causes as the search result can be presented to the searcher in a clear manner.

In addition, the causes extracted in the cause extracting step as the search result are displayed in colors
20 corresponding to the priorities. This can offer an effect that the searcher is allowed to judge at a glance the importance of the causes as the search result.

Moreover, a weight is assigned to each answer result in the cause extracting step, and therefore, the causes can
25 be extracted in accordance with the answer result. Hence,

there can be offered an effect that the matching accuracy in the fuzzy matching using the knowledge database can be further enhanced.

Although the invention has been described with respect
5 to a specific embodiment for a complete and clear disclosure,
the appended claims are not to be thus limited but are to
be construed as embodying all modifications and alternative
constructions that may occur to one skilled in the art which
fairly fall within the basic teaching herein set forth.

10

09927644-081301